

The Lab at Corby Cube

Technical Information

Updated: May Jan 2014

Venue Address: The Core at Corby Cube
Parkland Gateway
George Street
Corby
Northants
NN17 1QG

Contact: Andy Swinney – Technical Manager

Tel: 01536 470475

Email: andy.swinney@thecorecorby.com

STAGE

Stage Floor: Maple laminate over floating timber construction.

Stage Walls: Beech laminated ply panels.

Note : Stage Floor and Walls are **Not** to be fixed into.

STAGE DIMENSIONS

The Lab is a multifunction performance space which can be used with or without raked seating.

The Space offers a level floor of 9.40m wide x 11.60m deep without the seating in place. With Raked seating the playing space is reduced to 9.40m wide x 5.0m deep with a seating capacity of 72.

MASKING

Soft Black Drapes can be tracked around the perimeter of the room to create black box masking omitting the fire exits and control platform.

FLYING

All rigging positions are from two box truss grids, which are flown from electric chain hoists. Truss one measures 5.350m x 7.85mm and truss two measures 2.82m x 7.85m. All technical services are hardwired to these trusses making them non removable. Trusses are trimmed at 5.60m.

DRESSING ROOMS

Level B2 (Stage level)

Dressing Room 1 Seats 8

Dressing Room 2 Seats 6

Both dressing rooms have their own shower room and toilet.

Both dressing rooms are wheelchair accessible and have provision of an accessible toilet and shower on this level.

There are additional male and female toilets on this level and two additional shower rooms.

*Please note these are shared with the main theatre.

WARDROBE

Level B2

The Wardrobe room has washing, drying and ironing facilities. Please contact the Senior Technician with regards to charges for use of these facilities

Please Note: The dressing rooms and wardrobe are shared between The Lab and The Core Theatre, please contact the Chief Technician for availability details.

LIGHTING

Lighting Control/Dimming

ETC Congo Jr.

ETC Sensor+ Dimming

DMX patch to various points around the room.

84 dimmers:

82 x 2.5 Kw

2 x 5Kw

12 x 2.5K non-dim contactors

Lantern stock

12 x ETC S4 Junior 25/50

12 x Selecon Acclaim Fresnel

8 x ETC S4 Parnel

Wattage

575w

650w

750w

Various lengths of 15a TRS cable

Various lengths of 5pin XLR

Various lengths of Soca cable c/w spiders and stage boxes

SOUND

Sound control

Allen & Heath MixWizad 14:4:2 with 6 Aux send. .

FOH System:

2 x d&b D6 amps with integral DSP

2 x d&b Ci90 2-way full-range bass-reflex loudspeakers

1 x d&b C7 SUB Sub-bass bass-reflex subwoofer loudspeaker

Monitoring:

2 x d&b D6 with integral DSP

4 x d&b MAX12 portable general-purpose stage monitor loudspeakers

Please note: These are a shared resource with the Theatre so please check with the senior technician for availability.

FOH Rack

1x Denon DNV100 DVD video/CD audio player

1x Tascam CD01U CD player

COMMUNICATIONS

RTS 2-channel wired comms
8 x RTS BP-325 dual-channel belt packs
10 x RTS PH series single-muff headsets with integral mic

Note: There is no Cue light provision in The Lab.

All dressing rooms and backstage areas have audio show relay.

VIDEO

1x Christie Lx400 projector (4000 lumen)
1x 10ft x 7.5ft Fast fold screen

There is a charge for the use of the projector and fast fold screen. Please contact the Chief Technician for further details and to arrange this resource.

TEMPORARY POWER

Lab Storage Cupboard

1x 63A/3 ceeform
2x 32A/3 ceeform
1x 32A/1 ceeform

A variety of 13A power sockets are available at various points around the room each with individual RCD protection.

All supplies are via BS4343 Cee-form (Commando) sockets and have RCD protection devices – these are not adjustable.

STAFFING

There are 2 full-time members of the technical team, augmented by casual staff as required by performance and contract. Hours of work are flexible, subject to contract.

LOAD IN

Load in is via The Undercroft which can be accessed via the ramp in the swimming pool car park. There is a dedicated theatre bay outside load in door which is for loading and unloading only.

The Lab is roughly 12m away from the load in door.
Minimum access dimensions are: 1.80m x 2.00m

Parking is available in the pay and display car park next door.

